



Cable Preparation



Part # 1542-2CL Speed Stripper
Easily and quickly removes PE, XLP, EPR and other types of insulation from power cables. It has an O.D. Range of 1/2" to 1-3/4". This tool is supplied with the wedge blade installed and a spare straight blade.

Part # 1542-2AS Speed Stripper
Designed to strip insulation like the 1542-2CL but also scores the semi-con outer shield.

Part # 1562 Wedge Blade

Part # 1581 Straight Blade



Part # 1700SS Semi-Con Scorer
This tool is adjustable from 1/2" to 2" and has a set screw to lock the depth.

Part # 1800SS Semi-Con Scorer
O.D. Range 1-3/4" to 3"

Part # 1678 Scoring Blade



Part # WS64UE
Cable Stripper
An adjustable cable end stripper that removes the outer jacket on primary power cable. A "Dual Position" jaw allows for cable diameters from 1/2" to 2-1/2".

Part # CB50K Repl. Blade



Part # BP1A Banana Peeler
An adjustable blade semi-con scoring tool with an range of .75" to 1.10".

Part # BP2A Banana Peeler
O.D. Range 1.25" to 1.75"

Part # 34230 Repl. Blade



Part # LPW1525/TK120XN

Probe Insertion Tool
Fits all 15kV & 25kV & Elastimold 35kV elbows. The preset torque limiter takes the guesswork out of elbow probe & connector tightening.



Part # IC1 Chamfer Tool
Creates a 45° bevel on XLPE insulations. used for premolded splices, elbows and terminators. Cable range from .650" to 1.260".



Part # 2750 Secondary Stripper
An adjustable end stripper used to strip 600V cable without the use of bushings. Cable O.D. is .31" to 1.375".

Part # 2781 Replacement Blade



TOLL FREE 877-860-5666

FAX 630-860-5669 www.tallmanequipment.com



Cable Preparation

Square Cut Bushing for Concentric Strand Conductor

Cable Size	60 Mil Insulation		80 Mil Insulation		95 Mil Insulation	
	Max OD	Part #	Max OD	Part #	Max OD	Part #
#6	.315	10-32540			.390	10-40075
#4	.365	10-37540				
#2	.440	10-45040	.465	10-47560		
#1	.465	10-47540	.515	10-52560		
1/O	.515	10-52540	.565	10-57560	.590	10-60075
2/O	.565	10-57540	.590	10-60060	.640	10-65075
3/O	.615	10-62540	.665	10-67560	.690	10-70075
4/O	.665	10-67540	.715	10-72560	.740	10-75075
250			.765	11-77560	.790	11-80075
350			.865	11-87560	.890	11-90075
500			.990	11-100060	1.040	11-105075



4 x 4 Plus

Cable End Stripper

Used for stripping 600 Volt cable.
4 Interchangeable cutting heads strip cables from # 6 AWG through 500 MCM.

Part # 36001H 4 x 4 Tool Body

Square Cut Bushings for Compressed Strand Conductor

Cable Size	60 Mil Insulation		80 Mil Insulation		95 Mil Insulation	
	Max OD	Part #	Max OD	Part #	Max OD	Part #
#6	.315	10-32540			.390	10-40075
#4	.365	10-37540				
#2	.415	10-42540	.465	10-47560		
#1	.465	10-47540	.515	10-52560		
1/O	.490	10-50040	.540	10-55060	.590	10-60075
2/O	.540	10-55040	.590	10-60060	.615	10-62575
3/O	.590	10-60040	.640	10-65060	.665	10-67575
4/O	.665	10-67540	.690	10-70060	.740	10-75075
250			.740	10-75060	.765	11-77575
350			.840	11-85060	.890	11-90075
500			.965	11-97560	1.015	11-102575



2 x 2 Plus

Cable End Stripper

2 Interchangeable cutting heads.

Part # 36101H 2 x 2 Tool Body

Square Cut Bushings for Compacted Strand Conductor

Cable Size	60 Mil Insulation		80 Mil Insulation		95 Mil Insulation	
	Max OD	Part #	Max OD	Part #	Max OD	Part #
#6	.315	10-32540			.390	10-40075
#4	.365	10-37540				
#2	.415	10-42540	.465	10-47560		
#1	.440	10-45040	.490	10-50060		
1/O	.465	10-47560	.515	10-52560	.565	10-57575
2/O	.515	10-52540	.565	10-57560	.590	10-60075
3/O	.565	10-57540	.615	10-62560	.640	10-65075
4/O	.615	10-62540	.665	10-67560	.690	10-70075
250			.715	11-72560	.740	11-75075
350			.790	11-80060	.840	11-85075
500			.915	11-92560	.965	11-97575

Part # CB6667 Square Cut Blade
for both the 2x2 and 4x4 bushings.

*Chamfer Cut Bushings
are also available.
Call Tallman 877-860-5666*



Underground Equipment



Part # 08032165

Seal-Off Valve Body

for use with the Innerduct Seal-Offs and Single & Double Conduit Seal-Offs



Innerduct Seal-Offs

Part #	Nominal Duct Size	Innerduct I.D. Range
08034315	1"	.93" - 1.19"
08034316	1.25"	1.18" - 1.44"
08034317	1.50"	1.31" - 1.69"
08034318	2"	1.93" - 2.31"



Single Conduit Seal-Offs

Part #	Nominal Duct Size	Innerduct I.D. Range
08032900	2"	1.93" - 2.36"
08032905	2.5"	2.40" - 2.76"
08032910	3"	2.87" - 3.31"
08032915	3.5"	3.50" - 3.75"
08032920	4"	3.54" - 4.25"
08032925	5"	4.72" - 5.37"
08032930	6"	5.50" - 6.29"
08032935	8"	7.83" - 8.27"

Double Seal-Offs are also available.



Part # 08539600

3 Sheave Cable Guide

The three 6" sheaves allows a gradual 90° turn with a pulling radius of 24". It will sit on manhole edge, suspend in manhole or fit the jamb skid.



Part # 08045000


Mini Corner Cable Guide

Guides steel winch lines over sharp edges.

Part # 08539800

3 Sheave Cable Guide

with 8" wide sheaves



Hooked Hanger Sheaves

Part #	Sheave Size
08041400	3" x 11"
08042400	4" x 11"
08042420	4" x 20"
08042500	5" x 11"
08042520	5" x 20"
08042526	5" x 26.5"
08082600	6" x 11"
08082800	8" x 11"

Cable Feeding Sheaves

Part #	Size	O.D.
08617215	1.5"	1.44"
08617220	2"	1.95"
08617225	2.5"	2.40"
08617230	3"	2.95"
08617235	3.5"	3.38"
08617200	4"	3.95"
08617250	5"	4.90"
08617260	6"	5.90"
08617280	8"	7.94"





TOLL FREE 877-860-5666

FAX 630-860-5669 www.tallmanequipment.com



Underground Equipment

“Python” Duct Rodders

A heavy-duty outer plastic coating resists abrasions and reduce wear. The 5/16” models come in a 30” cage. The 7/16” models come in a 45” cage. Both styles have 3/8”-16 end fittings.

Python Duct Rodders are available in additional diameters and lengths.

Light-Duty Mini-Cobra & Heavy-Duty Cobra Rodders are also available.

Call Tallman for ordering information - 877-860-5666

5/16” Python	
Part #	Length
08084320	200'
08084330	300'
08084340	400'
08084350	500'
08084360	600'
08084370	700'
08084380	800'
08083790	900'
08084310	1,000'

7/16” Python	
Part #	Length
08083920	200'
08083930	300'
08083940	400'
08083950	500'
08083960	600'
08083970	700'
08083980	800'
08083990	900'
08083910	1,000'
08083911	1,100'
08083912	1,200'



Flexible Cable Guides with Aluminum Adapters

Cable feeds through the the Bell Adapter and exits through the Duct Adapter which fits into the duct.

Part #	Diameter	Length
08931009	2”	9’
08931012	2”	12’
08934009	4”	9’
08934012	4”	12’
08935009	5”	9’
08935012	5”	12’
08936009	6”	9’
08936012	6”	12’
08988009	8”	9’
08988012	8”	12’

Jamb Skid

Used for supporting sheaves and quadrant blocks inside a manhole

Part # 08097000
58” Base Section w/ Pins

Part # 08097001
43” Extension

Part # 08097002
76” Extension

Part # 08097003
109” Extension

