


## Wrenches

### Extra Capacity Adjustable Wrenches

Forged heat-treated alloy steel for maximum strength. Extra capacity jaws allows use of a smaller wrench to handle bigger jobs.



Plastic-Dipped Handle

Part #	Handle Finish	Capacity
507-8	Plain Chrome	1-1/8"
507-10	Plain Chrome	1-5/16"
507-12	Plain Chrome	1-1/2"
D507-8	Plastic-Dipped	1-1/8"
D507-10	Plastic-Dipped	1-5/16"
D507-12	Plastic-Dipped	1-1/2"



### Part # 3239 Adjustable Wrench

Forged from select alloy steel with black finish for corrosion resistance. Jaw capacity of 1-1/2".



### Part # 3238 Ratchet Wrench

A 15" reversible ratchet wrench accepts 1/2" square drive socket. Made of alloy steel with a black finish.

## Erection Wrenches

Forged steel to withstand high leverage and heavy loads. The tapered handle makes lining-up bolt holes easy.



Part #	Size	Part #	Size
3210	7/8"	3220	13/16"
3211	1-1/16"	3221	1"
3212	1-1/4"	3222	1-1/8"
3213	1-7/16"	3223	1-5/16"
3214	1-5/8"	3224	1-1/2"
3219	3/4"	3231	15/16"
		3231	1-1/16"

## Lineman's "Bell" Wrenches

Heat treated forged steel. Each end has two size openings. Used on heavy three-bolt guy clamps on which clearance is limited.



Part #	Large End	Small End
3146	29/32" x 1-3/32"	5/8" x 13/16"
3146A	1-1/16" x 1-5/16"	5/8" x 7/8"
3146B	1-1/16" x 1-3/16"	11/16" x 7/8"

## Vise Grips

The original Vise-Grip® Locking Pliers. Made of a high-grade steel alloy for years of dependable use.



Part #	Length	Cap.
7CR	7"	1-1/2"
10CR	10"	1-7/8"



### Specialty Wrenches

**Part # 920**

**Goat Wrench**

One side of the jaw is serrated to grip nuts, bolts or pipe from 1/2" to 1-1/4".  
Made from alloy steel.



**Part # AC10NK**

**Self-Locking Adjustable Wrench**

This 10" wrench has a slide button mechanism for fast adjustments to various sizes.  
The jaw capacity is 1.25".



**Part # 68005 Can Wrench**

One end opens telephone box fasteners, the other end tightens nuts on binding-post terminals.



**Part # PHW-1 Penta Wrench**

Stainless steel wrench with a Penta socket on one end and 3/4" hex on the other. Folding cross-rod for leverage.



**Part # PW-2 Penta Wrench**

Stainless steel Penta socket mounted on ergonomic handle.



**Part # TE804-5 Penta Buster**

The razor sharp teeth easily cut through ice, debris and dirt around the penta head. With the teeth retracted, a penta socket is exposed to loosen the bolt. Used by hand or with a 1/2" drive ratchet wrench.



**Part # BW-99 Penta Wrench**

Heavy-duty wrench with T-Handle and deep penta socket. 6" long.

## Isolated "Bug" Wrenches

Made of a high strength and high dielectric polymer, these special combination tools allow a line worker to carry one tool that will install hundreds of different connectors. These wrenches have twice the metal-to-metal electrical isolation than other brands yet offer greater mechanical strength.



Part #	End "A"	End "B"
BW-209	3/8" Allen Ratchet	Eye Loop
BW-2090P	3/8" Allen Ratchet	Penta Socket
BW-2093	5/16" Allen Ratchet	Eye Loop
BW-209375P90	5/16" Allen Ratchet	90° Penta
BW-2093P	5/16" Allen Ratchet	Penta Socket
BW-2212	1/2" Ratchet	9/16" Ratchet
BW-223	3/4" Ratchet	9/16" Ratchet
BW-223HD	3/4" H.D. Ratchet	9/16" H.D. Ratchet
BW-224	3/4" Ratchet	7/8" Ratchet
BW-240	5/16" Rev. Allen Ratchet	3/8" Rev. Allen Ratchet
BW-240P1	3/8" Rev. Allen Ratchet	Penta Socket
BW241P90	5/16" Rev. Allen Ratchet	90° Penta Socket
BW-251	5/16" Rev. Allen Ratchet	Penta Rev. Ratchet
BW-252	3/8" Rev. Allen Ratchet	Penta Rev. Ratchet

Many other combinations are available

## Ratcheting Box Wrenches

Chrome plated, laminated construction for greater strength.  
Reverse ratchet by turning the wrench over.



Part #	Size	Part #	Size
68200	1/4" x 5/16"	68204	5/8" X 3/4"
68201	3/8" x 7/16"	68205	11/16" X 3/4"
68202	1/2" X 9/16"	68206	13/16" x 7/8"
68203	5/8" x 11/16"	68222	7-piece set

## Hex-Key Wrenches



Part #	Keys	Sizes
70591	9	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
70583	8	3/32", 7/64", 1/8", 9/64" 5/32", 3/16", 7/32" 1/4"
70581	8	.05", 1/16" 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"
70579	5	3/16", 7/32", 1/4", 5/16", 3/8"

### Bolt-Thru Ratchet Wrenches

The unique Bolt-Thru design allows bolts to pass entirely through the socket or ratchet so that the nuts can be secured on any threaded length. Both handle types have reversible ratchet levers.



Heavy Duty Cast Handle




Stamped Steel Handle



Part #	Size
51D	Heavy Duty Cast Handle with Double Square Socket
51T	Heavy Duty Cast Handle with Triple Square Socket
151D	Stamped Steel Handle with Double Square Socket
151T	Stamped Steel Handle with Triple Square Socket

**Double Square Sockets fit  
1" & 1-1/8" Square Nuts  
(5/8" & 3/4" Bolts)**

**Triple Square Sockets fit  
3/4", 1" & 1-1/8" Square Nuts  
(1/2", 5/8" & 3/4" Bolts)**



Model 152

### Bolt-Thru Tower Wrenches

Heavy-duty, lightweight wrenches for larger hardware. These wrenches come with double square sockets that fit 1-3/8" and 1-1/2" square hardware. Available in three handle styles.

Part #	Size	Wgt
52	15" Heavy Duty Cast Handle	4.25 lbs
53	20" Heavy Duty Cast Handle	5.00 lbs
152	17" Stamped Steel Handle	3.50 lbs

### Dual End Bolt-Thru Wrenches

Five socket sizes in a single wrench with a triple square socket on one end and a double hex socket on the other. Oversize reversing levers on both ends and the ergonomic handles make these wrenches easy to handle and are twice as strong as standard ratcheting box wrenches.



Triple Square Socket

9/16" x 3/4" Hex

Part #	Length	Wgt
101TDE	9"	2 lbs.
103TDE	12"	2.25 lbs.

*Other sizes & combinations are available for all wrenches.*



1/2" Drive Sockets



**6 Point Deep Well**

**6 Point Standard**

**12 Point Deep Well**

**12 Point Standard**

Part #	Size	Length
4516	1/2"	3-3/64"
4518	9/16"	3-3/64"
4520	5/8"	3-3/64"
4522	11/16"	3-3/64"
4524	3/4"	3-3/64"
4526	13/16"	3-3/64"
4528	7/8"	3-3/64"
4530	15/16"	3-3/64"
4532	1"	3-3/64"
4534	1-1/16"	3-3/64"
4536	1-1/8"	3-3/64"
4540	1-1/4"	3-3/64"

Part #	Size	Length
4016	1/2"	1-7/16"
4018	9/16"	1-7/16"
4020	5/8"	1-15/32"
4022	11/16"	1-15/32"
4024	3/4"	1-15/32"
4026	13/16"	1-9/16"
4028	7/8"	1-5/8"
4030	15/16"	1-5/8"
4032	1"	1-11/16"
4034	1-1/16"	1-3/4"
4036	1-1/8"	1-13/16"
4038	1-3/16"	1-7/8"
4040	1-1/4"	1-59/64"

Part #	Size	Length
4616	1/2"	3-3/64"
4618	9/16"	3-3/64"
4620	5/8"	3-3/64"
4622	11/16"	3-3/64"
4624	3/4"	3-3/64"
4626	13/16"	3-3/64"
4628	7/8"	3-3/64"
4630	15/16"	3-3/64"
4632	1"	3-3/64"
4634	1-1/16"	3-3/64"
4636	1-1/8"	3-3/64"
4638	1-3/16"	3-3/64"
4640	1-1/4"	3-3/64"

Part #	Size	Length
4116	1/2"	1-7/16"
4118	9/16"	1-7/16"
4120	5/8"	1-15/32"
4122	11/16"	1-15/32"
4124	3/4"	1-15/32"
4126	13/16"	1-9/16"
4128	7/8"	1-5/8"
4130	15/16"	1-5/8"
4132	1"	1-11/16"
4134	1-1/16"	1-3/4"
4136	1-1/8"	1-13/16"
4138	1-3/16"	1-7/8"
4140	1-1/4"	1-59/64"

1/2" Drive Socket Sets

Part #	6 Point Deep Well Socket Sets
410	8 Pc 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1 Rail & 8 Clips
414	11 Pc 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1 Rail & 11 Clips

Part #	12 Point Deep Well Socket Sets
409	8 Pc 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1 Rail & 8 Clips
402	11 Pc 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1 Rail & 11 Clips

Part #	6 Point Standard Socket Sets
419	14 Pc 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 2 Rails & 14 Clips
423	18 Pc 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 10" Ratchet, 5" Extension, Flex Handle & Metal Box

Part #	12 Point Standard Socket Sets
418	12 Pc 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 10" Ratchet, 5" Extension, Metal Box
417	15 Pc 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 10" Ratchet, 5" Extension, Metal Box

Other sets are available.

Call Tallman for more information! 877-860-5666



Rail & Clips



### 1/2" Drive Ratchet & Torque Wrenches



**Part # 4433** 1/2" Drive Ratchet Wrench  
10-1/4" Overall Length

**Part # 5454A** 1/2" Drive Ratchet Wrench  
16" Overall Length



**Part # 4437** 1/2" Drive Flex Wrench  
Knurled Handle, 10-5/8" Overall Length



**Part # 57005** Ratchet Torque Wrench 3/8" Drive  
30 - 150 Inch Pounds, 10-5/8" Overall Length

**Part # 57010** Ratchet Torque Wrench 1/2" Drive  
50 - 250 Foot Pounds, 24-1/4" Overall Length

### Insulated Ratchet Wrench

Part #	
TE06IRW-U	3/8" Drive with Universal Fitting
TE06IRW	3/8" Drive Wrench Only
TE08IRW-U	1/2" Drive with Universal Fitting
TE08IRW	1/2" Drive Wrench Only

This 9" insulated wrench provides protection against electrical shock up to 1,000VAC and is made of a lightweight, high-impact composite that is as strong as steel.

The oversized forward/reverse lever is easy to turn even when the worker is wearing gloves.



## Lineman's Pliers



### The Original Lineman's Pliers

Sure-gripping cross-hatched knurled jaws.  
Hot riveted joint ensures no handle wobble.  
Also available with "Journeyman" style soft handles.

### Heavy-Duty Side-Cutting Pliers

#### Part #

D2000-9NE	Plastic-Dipped Handles
HD2000-9NE	Heavy-Duty Plastic Dipped Handles
D2000-9NETH	Plastic Dipped Handles & 5/8" Bolt Thread
<b>Cuts ACSR, nails, screws &amp; most hardened wire</b>	

### High-Leverage Side-Cutting Pliers

#### Part #

D213-9NE	Plastic-Dipped Handles
HD213-NE	Heavy-Duty Plastic Dipped Handles
D213-9NETH	Plastic Dipped Handles & 5/8" Bolt Thread
<b>DO NOT CUT ACSR</b>	

## Diagonal-Cutting Pliers



#### Part # O.A.L.

D228-7	7-1/8"	Red Plastic Dipped Handles
D228-8	8-1/16"	Red Plastic Dipped Handles
D248-8	8-1/16"	Same as D228-8 but with Angled Head



#### Part # O.A.L.

D202-5	5-9/16"	Red Plastic Dipped Handles
D202-6	6-1/8"	Red Plastic Dipped Handles
Use "C" suffix for spring loaded self-opening jaws		

## Long Nose Pliers



#### Part # O.A.L.

D203-5	5-5/8"	Side Cutting Jaws, Yellow Dipped Handles
D203-6	6-5/8"	Side Cutting Jaws, Yellow Dipped Handles
D301-5	5-5/8"	Standard Jaws, Yellow Dipped Handles
D301-6	6-5/8"	Standard Jaws, Yellow Dipped Handles

Use "C" suffix for spring loaded self-opening jaws

## Pump Pliers



### The Original Channel Lock Pliers

#### Part # O.A.L.

420	9-1/2"	1-1/2" Capacity, Blue Dipped Handles
430	10"	2" Capacity, Blue Dipped Handles

**Part # 1005** Cutting & Crimping Tool  
Crimping die marked for insulated & non-insulated  
solderless terminals & connectors.



**CAUTION:** Plastic dipped handles are NOT intended for protection against electrical shock. However, these tools can be ordered with insulating handles providing protection up to 1,000 volts. Add the "INS" suffix to the part number. Call Tallman for more information. 877-860-5666

## Tool Sets & Specialty Tools



**Part # CTK148MP** 148 Piece Tool Kit  
Mixed SAE & Metric sockets & wrenches. Tools meet ANSI load specs. Durable plastic storage case.



**Part # PT-525** Power Play 24 Tools-In-One  
This one handed opening tool features needle nose & gripping pliers, Romex® wire cutter, stripper for 6 wire sizes, #4 & #6 slotted screwdrivers, #1 phillips screwdriver, 1/4" square drive with hex bit adapter, SOG serrated knife, 3-in-1 file and much more.  
Leather case included.

- Sure Grip Plier Jaws →
- 9/16" Hex →
- Hardened Steel Cutting Jaws →
- Knurled Fishtape Grab →

**Part # TEFB-1**  
"Fusebuddy" Six-In-One Pliers  
Combination pliers, side cutter and wrenches that fit nut sizes 7/8", 9/16" & 13/16".

7/8" Box Wrench →

13/16" Box Wrench →



Screwdrivers & Nut Drivers

Keystone-Tip Round Shank



Part #	Tip Width	Shank Length	Overall Length
602-3	7/32"	3"	6-3/4"
602-4	1/4"	4"	8-11/32"
602-6	5/16"	6"	10-15/16"
602-8	3/8"	8"	13-7/16"
602-10	3/8"	10"	15-7/16"
602-12	3/8"	12"	17-7/16"

Phillips-Tip Round Shank



Part #	Point Size	Shank Length	Overall Length
603-1	#2	1-1/2"	3-7/16"
603-3	#1	3"	6-3/4"
603-4	#2	4"	8-5/16"
603-6	#3	6"	11"
603-7	#2	7"	11-5/16"
603-10	#2	10"	14-5/16"

Keystone-Tip Square Shank



Part #	Tip Width	Shank Length	Overall Length
600-4	1/4"	4"	8-11/32"
600-6	5/16"	6"	10-15/16"
600-8	3/8"	8"	13-7/16"
600-12	1/2"	12"	17-7/16"

Cabinet-Tip Round Shank



Part #	Tip Width	Shank Length	Overall Length
605-4	1/4"	4"	8-11/32"
605-6	1/4"	6"	10-15/16"
605-8	1/4"	8"	12-11/32"
605-10	1/4"	10"	14-11/32"

Cushion Grip Nut Drivers



3" & 4" Shanks

6" Shanks

Part #	Hex Size	Shank Length	Overall Length
630-3/16	3/16"	3"	6-3/4"
630-1/4	1/4"	3"	6-3/4"
630-5/16	5/16"	3"	6-3/4"
630-11/32	11/32"	3"	6-3/4"
630-3/8	3/8"	3"	6-3/4"
630-7/16	7/16"	3"	7-5/16"
630-1/2	1/2"	3"	7-5/16"
630-9/16	9/16"	4"	9-3/8"
630-5/8	5/8"	4"	9-3/8"
631	7 piece set sizes 3/16" thru 1/2"		

Part #	Hex Size	Shank Length	Overall Length
646-3/16	3/16"	6"	9-3/4"
646-1/4	1/4"	6"	9-3/4"
646-5/16	5/16"	6"	9-3/4"
646-11/32	11/32"	6"	9-3/4"
646-3/8	3/8"	6"	9-3/4"
646-7/16	7/16"	6"	10-5/16"
646-1/2	1/2"	6"	10-5/16"
646-9/16	9/16"	6"	11-3/8"
646-5/8	5/8"	6"	11-3/8"
647	7 piece set sizes 3/16" thru 1/2"		

*Insulated screwdrivers & nut drivers are available.*

*Add "INS" suffix to the part number.*



630-7/16-INS


## Hammers



808 Straight Claw



818 Curved Claw



832 Lineman's Straight Claw

Part #	Head Weight	Overall Length
808-16	16 Ounce	13"
808-20	20 Ounce	14"
818-16	16 Ounce	13"
818-20	20 Ounce	14"
832-32	32 Ounce	15"
809-36	36 Ounce	14"
803-16	16 Ounce	13-1/2"
803-24	24 Ounce	15"
803-32	32 Ounce	15"
823-48	48 Ounce	10"



809 Double Face



803 Ball-Peen



823 Hand-Drilling

803, 809 & 818 series have fiberglass shaft handles with neoprene grip.

803, 823 & 832 series have wooden handles. All heads are made of forged, tempered steel.

Double-Faced sledge hammers with wood or fiberglass handles.



Part #	Weight	Handle
HIBD-6	6 lbs.	36" Fiberglass
HIBD-8	8 lbs.	36" Fiberglass
HIBD-836W	8 lbs.	36" Wood
HIBD-10	10 lbs.	36" Fiberglass
HIBD-10W	10 lbs.	36" Wood

## Measuring Tools

### Power Return Rules



Oversized numbers for quick and accurate readings. Baked on epoxy coating resists rust & scratches.

Part #	Length	Case
922-16	16'	Chrome
922-25	25'	Chrome
922-30	30'	Chrome
928-25HV	25'	Hi-Vis Orange


### Fiberglass Tapes



1/2" woven fiberglass tapes with moisture-proof coating. Tape line is graduated in feet & inches to 8ths.

Part #	Length	Case
946-50	50 Feet	Hard Case
946-100	100 Feet	Hard Case
946-150	150 Feet	Open Reel

### Folding Rules



6' folding rulers. Available in either wood or fiberglass, inside or outside read. Graduated to 1/16th".

Part #	Material	Read
900-6	Wood	Inside Read
901-6	Wood	Outside Read
910-6	Fiberglass	Inside Read
911-6	Fiberglass	Outside Read

### Lineman's Skinning Knives



Style	Part #	Description
A	1570-3	Flat stock handle w/ notched blade & ring
A	1570-3LR	Flat stock handle w/ notched blade, no ring
B	7086-1	Round stock handle w/ no ring
B	7086-3	Round stock handle w/ notched blade & ring
C	7090-13	Ergonomic handle w/ notched blade, no ring
C	7090-3	Ergonomic handles w/ notched blade & ring

Notches on blade backs for scraping or removing wire insulation. Blades withstand frequent scoring and slitting of cable jacket.



**Part # 7095** Lineman's Drawknife

Safely shaves insulation or semi-con from a wide range of cable sizes without damaging the conductor. Ergonomic contoured handles for control and comfort.



**Part # M4455-50**

**Universal Skinning Knife**

Fits on the spline of any brand of universal hot stick and has a 3" blade.



**Part # 4089**  
Skinning Knife Holder



**Part # 4051**  
Drawknife Holder



**Part # 1550-24** Slitting Knife

Stainless steel sheepfoot blade is made of carbon steel and is 2-1/2" long.

**Part # 46037**  
Cable Splicers Kit  
Includes 1 each of the knife, scissors and pouch.



Part #	Description
44200	Splicer's Knife
2100-7	Scissors
5187	Leather Pouch



### Pocket Knives and Sharpeners



**Part # 44037 Sportsman Knife**  
The curved handle is made of ebony wood with a brass bolster. The stainless steel blade is 3-3/8" long. Comes with a leather snap case with belt loop.



**Part # 44001 Lockback Knife**  
Features a 2-1/2" AUS8 stainless steel blade and belt clip. 3-1/2" closed length.



**Part # 44001-BLK Lockback Knife**  
Same as the 44001 but with a black chrome blade and an anodized-aluminum handle.



**Part # 44150 Mult-Purpose Sharpening Steel**  
Tungsten carbide bonded to fine, medium and rough surfaces can sharpen any blade. The chisel point is useful for other jobs that would harm a knife such as prying, chiseling, scrapping or splitting.



**Part # 44053-BLK Tanto Lockback Knife**  
The Tanto blade is 2-7/8" AUS8 stainless steel. It has a black chrome blade and anodized-aluminum handle for corrosion resistance. 4" Closed length.



**Part # 44005 Lockback Knife**  
The Sheepfoot style blade is 2-5/8" long. The handle is made of a impact-resistant nylon resin.

*All Lockback knives have a reversible thumb stud for easy, one-handed opening.*



**Part # 48036 Knife Sharpener**  
High-grade, tungsten carbide inserts sharpen both sides of the blade at the same time.



**Part # TE-SS Knife Sharpener**  
Made of MICRO 100 Super Carbide, which will never wear out. It will sharpen anything with a blade, from knives to lawn mower blades!



Hand-Held Ratcheting Soft Cable Cutters



**Part # TERC400**  
400 MCM Stranded  
Copper/Aluminum



**Part # TERC750**  
750 MCM Stranded  
Copper/Aluminum



**Part # TE601**  
600 MCM Stranded  
Copper/Aluminum



TE200

**PRECISION CABLE CUTTERS**

These quality tools provide cutting ease, minimum cable distortion and long life. They offer a rapid advance system to quickly close the jaws around the wire. The fiberglass handles meet ASTM F711.

Part #	Length	Capacity
TE750	20"	750 MCM Cu/Alum
TE200	20"	2000 MCM Cu/Alum

*WARNING: These tools are NOT considered insulated.  
Do not attempt to cut energized conductors with any of these cutters.*



**Part # 6990FS Ratchet Cable Cutter**  
Cuts up to 500 MCM stranded copper and  
795 aluminum wire. 14" overall length.



### Hand-Held Ratcheting ACSR Cable Cutters



#### Part # TE795 ACSR Cutter

Easily cuts ACSR and copper/aluminum up to 1.2" and stressed steel wire up to .55". The adjustable length handles are ideal when working in confined spaces or when more leverage is required. The handles telescope to 15-3/4" giving the cutter a maximum length of 20".



**Part # TE336 ACSR Cutter**  
Cuts up to 336 single-strand ACSR.



#### Part # 63800 ACSR Cutter

The replaceable cutting blades can easily cut through multi-strand 477 MCM ACSR. It also cuts up to 1-1/4" copper/aluminum, 1" solid copper and 1/2" guy wire; *not for EHS*. Weighs 3.2 lbs. and is 13-3/4" long.

#### Part # TE63858 Replacement Blades



#### Part # TE556 ACSR Cutter

The wide jaws accept up to 556 MCM multi-strand ACSR. The fiberglass handles incorporate a fast advance system that quickly close the blades around the wire.

*WARNING: These tools are NOT considered insulated.  
Do not attempt to cut energized conductors with any of these cutters.*